



SEQUENCE LISTING

<110> Petersdorf, Effie W.  
Guo, Zhen  
Hansen, John A.  
Hood, Leroy  
Fred Hutchinson Cancer Research Center  
University of Washington

<120> Oligonucleotide Arrays for High  
Resolution HLA Typing

<130> 14538A-005210US

<140> US 10/018,112

<141> Not yet assigned

<150> US 60/139,843

<151> 1999-06-17

<150> WO PCT/US00/16722

<151> 2000-06-16

<160> 141

<170> FastSEQ for Windows Version 3.0

<210> 1

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> HLA-B PCR probe A1, exon 2, location 5-24

<400> 1

tcacaccctc cagagcatgt

20

<210> 2

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> HLA-B PCR probe A2, exon 2, location 5-24

<400> 2

tcacatcatc cagaggatgt

20

<210> 3

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> HLA-B PCR probe A3, exon 2, location 5-24

<400> 3

tcacacttgg cagacgatgt

20

<210> 4  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe A4, exon 2, location 5-24  
  
 <400> 4  
 tcacaccctc cagtggatgt 20  
  
 <210> 5  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe A5, exon 2, location 5-24  
  
 <400> 5  
 tcacacttgg cagaggatgt 20  
  
 <210> 6  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe A6, exon 2, location 5-24  
  
 <400> 6  
 tcacaccctc cagacgatgt 20  
  
 <210> 7  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe A7, exon 2, location 5-24  
  
 <400> 7  
 tcacaccctc cagaatatgt 20  
  
 <210> 8  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe A8, exon 2, location 5-24  
  
 <400> 8  
 tcacatcatc cagagcatgt 20  
  
 <210> 9  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> HLA-B PCR probe A9, exon 2, location 5-24  
  
 <400> 9  
 tcacaccatc cagaggatgt 20  
  
 <210> 10  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe A10, exon 2, location 5-24  
  
 <400> 10  
 tcacatcatc cagtgatgt 20  
  
 <210> 11  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe A11, exon 2, location 5-24  
  
 <400> 11  
 tcacaccctc cagaggatgt 20  
  
 <210> 12  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe B1, exon 2, location 21-40  
  
 <400> 12  
 atgtacggct gcgacgtggg 20  
  
 <210> 13  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe B2, exon 2, location 21-40  
  
 <400> 13  
 atgtatggct gcgacctggg 20  
  
 <210> 14  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe B3, exon 2, location 21-40  
  
 <400> 14  
 atgtttggct gcgacgtggg 20

<210> 15  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe B4, exon 2, location 21-40  
  
 <400> 15  
 atgtaaggct gcgacgtggg 20  
  
 <210> 16  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe B5, exon 2, location 21-40  
  
 <400> 16  
 atgtctggct gcgacgtggg 20  
  
 <210> 17  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe B6, exon 2, location 21-40  
  
 <400> 17  
 atgtacggct gcgacctggg 20  
  
 <210> 18  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe B7, exon 2, location 21-40  
  
 <400> 18  
 atgtttggct gcgacctggg 20  
  
 <210> 19  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe B8, exon 2, location 21-40  
  
 <400> 19  
 atgtatggct gcgacatggg 20  
  
 <210> 20  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> HLA-B PCR probe B9, exon 2, location 21-40  
  
 <400> 20  
 atgtatggct gcgacgtggg 20  
  
 <210> 21  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe C1, exon 2, location 41-60  
  
 <400> 21  
 gcccgacggg cgcttcctcc 20  
  
 <210> 22  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe C2, exon 2, location 41-60  
  
 <400> 22  
 gcccgacggg cgcttcctcc 20  
  
 <210> 23  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe C3, exon 2, location 41-60  
  
 <400> 23  
 gccggacggg cgcttcctcc 20  
  
 <210> 24  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe D1, exon 2, location 61-80  
  
 <400> 24  
 gcgggcatga ccagtacgcc 20  
  
 <210> 25  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe D2, exon 2, location 61-80  
  
 <400> 25  
 gcgggcataa ccagtacgcc 20

<210> 26  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe D3, exon 2, location 61-80  
  
 <400> 26  
 gcgggcataa ccagttagcc 20  
  
 <210> 27  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe D4, exon 2, location 61-80  
  
 <400> 27  
 gcgggtataa ccagttcgcc 20  
  
 <210> 28  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe D5, exon 2, location 61-80  
  
 <400> 28  
 gcgggcatga ccagtccgcc 20  
  
 <210> 29  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe D6, exon 2, location 61-80  
  
 <400> 29  
 gcgggtatga ccagtccgcc 20  
  
 <210> 30  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe D7, exon 2, location 61-80  
  
 <400> 30  
 gcgggtacca ccaggacgcc 20  
  
 <210> 31  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> HLA-B PCR probe D8, exon 2, location 61-80  
  
 <400> 31  
 gcgggcatga ccagttcgcc 20  
  
 <210> 32  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe D9, exon 2, location 61-80  
  
 <400> 32  
 gcgggcataa ccagttcgcc 20  
  
 <210> 33  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe D10, exon 2, location 61-80  
  
 <400> 33  
 gcgggtatga ccaggacgcc 20  
  
 <210> 34  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe D11, exon 2, location 61-80  
  
 <400> 34  
 gcgggtataa ccagttagcc 20  
  
 <210> 35  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe D12, exon 2, location 61-80  
  
 <400> 35  
 gcgggtatga ccagtacgcc 20  
  
 <210> 36  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe E1, exon 2, location 81-100  
  
 <400> 36  
 tacgacggca aagattacat 20

<210> 37  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe E2, exon 2, location 81-100  
  
 <400> 37  
 tacgacggca aggattacat 20  
  
 <210> 38  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe F1, exon 2, location 111-130  
  
 <400> 38  
 gaggacctga gctcctggac 20  
  
 <210> 39  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe F2, exon 2, location 111-130  
  
 <400> 39  
 gaggacctgc gctcctggac 20  
  
 <210> 40  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe G1, exon 2, location 131-150  
  
 <400> 40  
 cgccgcggac acggcggtc 20  
  
 <210> 41  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe G2, exon 2, location 131-150  
  
 <400> 41  
 cgcggcggac accgcggctc 20  
  
 <210> 42  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence



<220>  
 <223> HLA-B PCR probe G3, exon 2, location 131-150  
  
 <400> 42  
 cgccgcggac aaggcggctc 20  
  
 <210> 43  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe G4, exon 2, location 131-150  
  
 <400> 43  
 cgccgcggac acggcagctc 20  
  
 <210> 44  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe G5, exon 2, location 131-150  
  
 <400> 44  
 cgccgcggac accgcggctc 20  
  
 <210> 45  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe G6, exon 2, location 131-150  
  
 <400> 45  
 cgcggcggac acggcggctc 20  
  
 <210> 46  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe H1, exon 2, location 151-170  
  
 <400> 46  
 agatcaccca gctcaagtgg 20  
  
 <210> 47  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe H2, exon 2, location 151-170  
  
 <400> 47  
 agatctccca gcgcaagttg 20

<210> 48  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe H3, exon 2, location 151-170  
  
 <400> 48  
 agatcaccca gcgcaagtgg 20  
  
 <210> 49  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe I1, exon 2, location 171-190  
  
 <400> 49  
 gaggcggccc gtgaggcgga 20  
  
 <210> 50  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe I2, exon 2, location 171-190  
  
 <400> 50  
 gaggcggccc gtgtggcgga 20  
  
 <210> 51  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe J1, exon 2, location 191-210  
  
 <400> 51  
 gcagcggaga gcctacctgg 20  
  
 <210> 52  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe J2, exon 2, location 191-210  
  
 <400> 52  
 gcaggacaga gcctacctgg 20  
  
 <210> 53  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> HLA-B PCR probe J3, exon 2, location 191-210  
  
 <400> 53  
 gcagtggaga gcctacctgg 20  
  
 <210> 54  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe J4, exon 2, location 191-210  
  
 <400> 54  
 gcagctgaga acctacctgg 20  
  
 <210> 55  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe J5, exon 2, location 191-210  
  
 <400> 55  
 gcagcggaga acctacctgg 20  
  
 <210> 56  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe J6, exon 2, location 191-210  
  
 <400> 56  
 gcagctgaga gcctacctgg 20  
  
 <210> 57  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe K1, exon 2, location 211-230  
  
 <400> 57  
 agggcgagtg cgtggagtgg 20  
  
 <210> 58  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe K2, exon 2, location 211-230  
  
 <400> 58  
 agggcctgtg cgtggagtgg 20

<210> 59  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe K3, exon 2, location 211-230  
  
 <400> 59  
 agggcctgtg cgtggacggg 20  
  
 <210> 60  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe K4, exon 2, location 211-230  
  
 <400> 60  
 agggcctgtg cgtggagtcg 20  
  
 <210> 61  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe K5, exon 2, location 211-230  
  
 <400> 61  
 agggcacgtg cgtggagtcg 20  
  
 <210> 62  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe K6, exon 2, location 211-230  
  
 <400> 62  
 agggcctgtg cgtggagggg 20  
  
 <210> 63  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe K7, exon 2, location 211-230  
  
 <400> 63  
 aggacctgtg cgtggagtcg 20  
  
 <210> 64  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> HLA-B PCR probe K8, exon 2, location 211-230  
  
 <400> 64  
 agggcacgtg cgtggagtgg 20  
  
 <210> 65  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe L1, exon 2, location 231-250  
  
 <400> 65  
 ctccgcagac acctggagaa 20  
  
 <210> 66  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe L2, exon 2, location 231-250  
  
 <400> 66  
 ctccgcagat acctggagaa 20  
  
 <210> 67  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe M1, exon 2, location 257-276  
  
 <400> 67  
 ggacaagctg gagcgcgctg 20  
  
 <210> 68  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe M2, exon 2, location 257-276  
  
 <400> 68  
 ggacacgctg gagcgcgcgg 20  
  
 <210> 69  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe M3, exon 2, location 257-276  
  
 <400> 69  
 ggagacgctg cagcgcgcgg 20

<210> 70  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe A1, exon 3, location 01-20  
  
 <400> 70  
 gctcccactt catgaggtat 20  
  
 <210> 71  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe A2, exon 3, location 01-20,  
 two-step asymmetric PCR HLA-B Exon 2 5' primer  
  
 <400> 71  
 gctcccactc catgaggtat 20  
  
 <210> 72  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe B1, exon 3, location 21-40  
  
 <400> 72  
 ttctacacct ccgtgtcccg 20  
  
 <210> 73  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe B2, exon 3, location 21-40  
  
 <400> 73  
 ttctacaccg ccatgtcccg 20  
  
 <210> 74  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe B3, exon 3, location 21-40  
  
 <400> 74  
 ttcgacaccg ccatgtcccg 20  
  
 <210> 75  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> HLA-B PCR probe B4, exon 3, location 21-40  
  
 <400> 75  
 ttccacacct ccgtgtcccg 20  
  
 <210> 76  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe B5, exon 3, location 21-40  
  
 <400> 76  
 ttccacaccg ccatgtcccg 20  
  
 <210> 77  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe B6, exon 3, location 21-40  
  
 <400> 77  
 ttctacaccg ctatgtcccg 20  
  
 <210> 78  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe B7, exon 3, location 21-40  
  
 <400> 78  
 ttctacaccg ccgtgtcccg 20  
  
 <210> 79  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe C1, exon 3, location 41-60  
  
 <400> 79  
 gcccgtcgc ggggagcccc 20  
  
 <210> 80  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe C2, exon 3, location 41-60  
  
 <400> 80  
 gcctggccgc ggggagcccc 20

<210> 81  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe C3, exon 3, location 41-60  
  
 <400> 81  
 gcccggccgc ggggagcccc 20  
  
 <210> 82  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe D1, exon 3, location 61-80  
  
 <400> 82  
 gcttcacatc agtgggctac 20  
  
 <210> 83  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe D2, exon 3, location 61-80  
  
 <400> 83  
 gcttcacac cgtagggctac 20  
  
 <210> 84  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe D3, exon 3, location 61-80  
  
 <400> 84  
 gcttcattgc agtgggctac 20  
  
 <210> 85  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe D4, exon 3, location 61-80  
  
 <400> 85  
 gcttcacgc agtgggctac 20  
  
 <210> 86  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence



<220>  
 <223> HLA-B PCR probe E1, exon 3, location 81-100  
  
 <400> 86  
 gtggacgaca cccagttcgt 20  
  
 <210> 87  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe E2, exon 3, location 81-100  
  
 <400> 87  
 gtggacggca cccagttcgt 20  
  
 <210> 88  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe E3, exon 3, location 81-100  
  
 <400> 88  
 gtggacgaca cgctgttcgt 20  
  
 <210> 89  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe E4, exon 3, location 81-100  
  
 <400> 89  
 gtggacgaca cgcagttcgt 20  
  
 <210> 90  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe F1, exon 3, location 111-130  
  
 <400> 90  
 agcgacgcca cgagtccgag 20  
  
 <210> 91  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe F2, exon 3, location 111-130  
  
 <400> 91  
 agcgacgccg cgagtccgag 20

<210> 92  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe G1, exon 3, location 95-115  
  
 <400> 92  
 ttcgtgcggt tcgacagcga 20  
  
 <210> 93  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe G2, exon 3, location 96-115  
  
 <400> 93  
 ttcgtgaggt tcgacagcga 20  
  
 <210> 94  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe H1, exon 3, location 121-140  
  
 <400> 94  
 cgagtccgag agaggagccg 20  
  
 <210> 95  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe H2, exon 3, location 121-140  
  
 <400> 95  
 cgagtccgag gatggcgccc 20  
  
 <210> 96  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe H3, exon 3, location 121-140  
  
 <400> 96  
 cgagtccgag gacggagccc 20  
  
 <210> 97  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> HLA-B PCR probe H4, exon 3, location 121-140  
  
 <400> 97  
 cgagtcgag gaaggagccg 20  
  
 <210> 98  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe I1, exon 3, location 141-160  
  
 <400> 98  
 cgggcgccat ggatagagca 20  
  
 <210> 99  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe I2, exon 3, location 141-160  
  
 <400> 99  
 cgggcgccgt ggggtggagca 20  
  
 <210> 100  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe I3, exon 3, location 141-160  
  
 <400> 100  
 cgggcgccgt ggatagagca 20  
  
 <210> 101  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe J1, exon 3, location 161-180  
  
 <400> 101  
 ggaggggccc gaatttggg 20  
  
 <210> 102  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe J2, exon 3, location 161-180  
  
 <400> 102  
 agaggggccc gatttggg 20

<210> 103  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe J3, exon 3, location 161-180  
  
 <400> 103  
 ggaggggccc gagcattggg 20  
  
 <210> 104  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe J4, exon 3, location 161-180  
  
 <400> 104  
 ggaggggccc gagtattggg 20  
  
 <210> 105  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe K1, exon 3, location 181-200  
  
 <400> 105  
 accggaacac acagatctac 20  
  
 <210> 106  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe K2, exon 3, location 181-200  
  
 <400> 106  
 accggaacac acagatcttc 20  
  
 <210> 107  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe K3, exon 3, location 181-200  
  
 <400> 107  
 accgggagac acagatctcc 20  
  
 <210> 108  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> HLA-B PCR probe K4, exon 3, location 181-200  
  
 <400> 108  
 accggaacac acagatctgc 20  
  
 <210> 109  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe K5, exon 3, location 181-200  
  
 <400> 109  
 accggaacac acagatctcc 20  
  
 <210> 110  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe K6, exon 3, location 181-200  
  
 <400> 110  
 accgggagac acggaacatg 20  
  
 <210> 111  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe K7, exon 3, location 181-200  
  
 <400> 111  
 accgggatac acagatctcc 20  
  
 <210> 112  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe K8, exon 3, location 181-200  
  
 <400> 112  
 accgggagac acagatctgc 20  
  
 <210> 113  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe K9, exon 3, location 181-200  
  
 <400> 113  
 accgggagac acagaagtac 20

<210> 114  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe K10, exon 3, location 181-200  
  
 <400> 114  
 acggggagac acggaacatg 20  
  
 <210> 115  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe K11, exon 3, location 181-200  
  
 <400> 115  
 accgggagac acagatcttc 20  
  
 <210> 116  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe L1, exon 3, location 201-220  
  
 <400> 116  
 aaggcccagg cacagactga 20  
  
 <210> 117  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe L2, exon 3, location 201-220  
  
 <400> 117  
 aagaccaaca cacagactta 20  
  
 <210> 118  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe L3, exon 3, location 201-220  
  
 <400> 118  
 aaggcctccg cgcagactta 20  
  
 <210> 119  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> HLA-B PCR probe L4, exon 3, location 201-220  
  
 <400> 119  
 aaggccaagg cacagactta 20  
  
 <210> 120  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe L5, exon 3, location 201-220  
  
 <400> 120  
 aaggccaagg cacagactga 20  
  
 <210> 121  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe L6, exon 3, location 201-220  
  
 <400> 121  
 aagcgccagg cacagactga 20  
  
 <210> 122  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe L7, exon 3, location 201-220  
  
 <400> 122  
 aagaccaaca cacagactga 20  
  
 <210> 123  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe M1, exon 3, location 216-235  
  
 <400> 123  
 actgaccgag agagcctgcg 20  
  
 <210> 124  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe M2, exon 3, location 216-235  
  
 <400> 124  
 acttaccgag agaacctgcg 20

<210> 125  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe M3, exon 3, location 216-235  
  
 <400> 125  
 acttaccgag agagcctgcg 20  
  
 <210> 126  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe M4, exon 3, location 216-235  
  
 <400> 126  
 actgaccgag aggacctgcg 20  
  
 <210> 127  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe M5, exon 3, location 216-235  
  
 <400> 127  
 acttaccgag aggacctgcg 20  
  
 <210> 128  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe M6, exon 3, location 216-235  
  
 <400> 128  
 actgaccgag tgagcctgcg 20  
  
 <210> 129  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe M7, exon 3, location 216-235  
  
 <400> 129  
 actgaccgag tgggcctgcg 20  
  
 <210> 130  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence



<220>  
 <223> HLA-B PCR probe M8, exon 3, location 216-235  
  
 <400> 130  
 actgaccgag agaacctgcg 20  
  
 <210> 131  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe N1, exon 3, location 231-250  
  
 <400> 131  
 ctgcgccaccg cgctccgcta 20  
  
 <210> 132  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe N2, exon 3, location 231-250  
  
 <400> 132  
 ctgcggtatcg cgctccgcta 20  
  
 <210> 133  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe N3, exon 3, location 231-250  
  
 <400> 133  
 ctgcggaacc tgctccgcta 20  
  
 <210> 134  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe N4, exon 3, location 231-250  
  
 <400> 134  
 ctgcggaacc tgctccgcta 20  
  
 <210> 135  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe N5, exon 3, location 231-250  
  
 <400> 135  
 ctgcggaacc tgcgcgcta 20

<210> 136  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe O1, exon 3, location 251-270  
  
 <400> 136  
 ctacaaccag agcgaggacg 20  
  
 <210> 137  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> HLA-B PCR probe O2, exon 3, location 251-270  
  
 <400> 137  
 ctacaaccag agcgaggccg 20  
  
 <210> 138  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> two-step asymmetric PCR HLA-B Exon 2 3' primer  
  
 <400> 138  
 cggcctcgct ctggtttag 20  
  
 <210> 139  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> PCR amplification HLA-B Exon 3 5' primer  
  
 <400> 139  
 acccggtttc attttcagtt g 21  
  
 <210> 140  
 <211> 18  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> PCR amplification HLA-B Exon 3 3' primer  
  
 <400> 140  
 cccactgccc ctggtacc 18  
  
 <210> 141  
 <211> 15  
 <212> DNA  
 <213> Artificial Sequence

<220>

<223> 15-mer poly dT spacing group

<400> 141

tttttttttt ttttt

15